**ILLEGIB** Approved For Release 2002/06/11 : CIA-RDP78T05439A000500260028-2

5-18836

IMAN D



PIR

PHOTOGRAPHIC INTELLIGENCE REPORT

DEPOT AND DOCKING INSTALLATION

HAIPHONG PORT

**Declass Review by NIMA/DOD** 

CLUDET

CIA IMAGERY ANALYSIS DIVISION

## DEPOT AND DOCKING INSTALLATION, HAIPHONG PORT

The depot and docking installation under study is located on the north bank of the Cus Cam (river) at coordinates 20 52 28N - 106 40 30E. The installation is annotated on the enclosed map (Figure 1), and is outlined on the enclosed annotated photograph (Figure 3). Table 1 contains a probable description and dimensions of the buildings at the installation. The annotated items listed in Table 1 and appearing in the text are keyed to the enclosed line drawing (Figure 2). All measurements have been made by the CIA/IAD/IB project analyst. They should be considered as approximate and must not be taken as official NPIC mensuration data compiled by the Technical Intelligence Division, NPIC.

	The installation consists of two man-made islands which are surrounded by
	water only at high tide. The larger island (Annotation C) is connected to the
	mainland by a causeway approach (Annotation A) and a causeway (Annotation B).
25X1	the insta <u>llation consisted of only</u> the larger island and was served
	by a pier (Annotation D) three buildings had been constructed
25X1	on the smaller island (Annotation F) and the base of a new T-Head pier (Annotation
23/(1	26) had been completed. The T-Head of the new pier had taken form
	and appeared to be complete and construction
25X1	had begun on a causeway (Annotation E) connecting the two islands. This cause-25X
20/(1	way was complete and a new building was under construction
25X1	(same of the man and the man and the man and a deciring decirity had been
23/1	switched to the new T-Head pier where it appeared that the old 25X
	pier had been partially dismantled and allowed to deteriorate.
	25X
	The facility, as it appeared is a complete depot and dock-
	ing installation. The new building had been completed, and eight horizontal
-	storage tanks (Annotation 27) had been installed on the smaller island. Security
	for the installation consists of a wall on the north, east, and west sides of
	the larger island; a probable guardhouse, trench, and three automatic weapons -
• .	type implacements on the causeway approach (Annotation A); and an occupied AAA
	site approximately 2000' west of the installation.
	Although the destallation association association as a second of the sec
	Although the installation apparently serves as a depot and docking facility,
	and in general has the appearance of a military installation, there is no photo-
	graphic evidence that the installation services infiltration boats that transport
•	arms from North Vietnam to South Vietnam. Cargo has never been observed arriving,

- 1 -

being stored, or being loaded on boats. The general absence of boats at the facility during daylight indicates probable night-time boat loading activity.

SECRET

25X1

SECRET	· .

CIA/PIR-65011

25X1

25X1 The only boats observed at or near the installation, other than work barges during construction of the new T-Head pier, include a 45' Junk observed and a Swatow gunbost 25X1 25X1 observed in the nearest anchorages 25X1 Boats most were Coasters approximately 25X1

CIA IMAGERY ANALYSIS DIVISION

- 2 -

**SECRET** 

CIA IMAGERY ANALYSIS DIVISION

REFERENCES

25X1

MAPS OR CHARTS

Sheet 6373 IV, Series L701, 1:50,000 (UNCLASSIFIED)

REQUIREMENT

CIA. C-RR5-82,807

CIA/IAD PROJECT

30119-6

**SECRET** 

25X1

CIA IMAGERY ANALYSIS DIVISION

## DEPOT AND DOCKING INSTALLATION, HAIPHONG PORT

## TABLE 1

ITEM NO.	DESCRIPTION	DIMENSIONS*	
1 2	Administration Administration		25X1
; 3. li	Storage Storage		
5	Storage	30 x 25	
	Storage .	45 x 25	
6 7 8	Storage	30 x 25	
8 .	Support	[ <del>]                                    </del>	25X1
9 !	Support		•
10	Support	45 x 30	
11	Barracks	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	
12	Berracks .	1	•
13	Berrecks	1 1	•
14	Berracks (poss. storage)	1	
15	Barracks (poss. storage)	1	
16	Berrecks	1	25X1
17	Barracks	1	
18	Support	1	
19	Support	· 45 × 35.	
20	Administration	30 x 30	
21 ,	Administration@	40 x 30	
22 !	Storage		051/4
23	Storage		25X1
24	Storage-		
25 <sup>†</sup>	Support	40 x 25	
26	T-Head Pier	140 x 20 (extending into the contract)	ng 255 he water)

- \* Length and width dimensions in feet
- @ Indicates two-storied

SECRET

25X1.





